

Station	Number of Active MFDs	Number of Active Windows	Number of Active Terminals	Number of Active Terminals (per shift)	Number of Active Terminals (per day)
Mobile Training Room (at station)	1	1	1	1	1
Use Default 1	1	1	1	1	1
Use Default 2	1	1	1	1	1
Use Default 3	1	1	1	1	1
Use Default 4	1	1	1	1	1
Use Default 5	1	1	1	1	1
Use Default 6	1	1	1	1	1
Use Default 7	1	1	1	1	1
Use Default 8	1	1	1	1	1
Use Default 9	1	1	1	1	1
Use Default 10	1	1	1	1	1
Use Default 11	1	1	1	1	1
Use Default 12	1	1	1	1	1
Use Default 13	1	1	1	1	1
Use Default 14	1	1	1	1	1
Use Default 15	1	1	1	1	1
Use Default 16	1	1	1	1	1
Use Default 17	1	1	1	1	1
Use Default 18	1	1	1	1	1
Use Default 19	1	1	1	1	1
Use Default 20	1	1	1	1	1
Use Default 21	1	1	1	1	1
Use Default 22	1	1	1	1	1
Use Default 23	1	1	1	1	1
Use Default 24	1	1	1	1	1
Use Default 25	1	1	1	1	1
Use Default 26	1	1	1	1	1
Use Default 27	1	1	1	1	1
Use Default 28	1	1	1	1	1
Use Default 29	1	1	1	1	1
Use Default 30	1	1	1	1	1
Use Default 31	1	1	1	1	1
Use Default 32	1	1	1	1	1
Use Default 33	1	1	1	1	1
Use Default 34	1	1	1	1	1
Use Default 35	1	1	1	1	1
Use Default 36	1	1	1	1	1
Use Default 37	1	1	1	1	1
Use Default 38	1	1	1	1	1
Use Default 39	1	1	1	1	1
Use Default 40	1	1	1	1	1
Use Default 41	1	1	1	1	1
Use Default 42	1	1	1	1	1
Use Default 43	1	1	1	1	1
Use Default 44	1	1	1	1	1
Use Default 45	1	1	1	1	1
Use Default 46	1	1	1	1	1
Use Default 47	1	1	1	1	1
Use Default 48	1	1	1	1	1
Use Default 49	1	1	1	1	1
Use Default 50	1	1	1	1	1
Use Default 51	1	1	1	1	1
Use Default 52	1	1	1	1	1
Use Default 53	1	1	1	1	1
Use Default 54	1	1	1	1	1
Use Default 55	1	1	1	1	1
Use Default 56	1	1	1	1	1
Use Default 57	1	1	1	1	1
Use Default 58	1	1	1	1	1
Use Default 59	1	1	1	1	1
Use Default 60	1	1	1	1	1
Use Default 61	1	1	1	1	1
Use Default 62	1	1	1	1	1
Use Default 63	1	1	1	1	1
Use Default 64	1	1	1	1	1
Use Default 65	1	1	1	1	1
Use Default 66	1	1	1	1	1
Use Default 67	1	1	1	1	1
Use Default 68	1	1	1	1	1
Use Default 69	1	1	1	1	1
Use Default 70	1	1	1	1	1
Use Default 71	1	1	1	1	1
Use Default 72	1	1	1	1	1
Use Default 73	1	1	1	1	1
Use Default 74	1	1	1	1	1
Use Default 75	1	1	1	1	1
Use Default 76	1	1	1	1	1
Use Default 77	1	1	1	1	1
Use Default 78	1	1	1	1	1
Use Default 79	1	1	1	1	1
Use Default 80	1	1	1	1	1
Use Default 81	1	1	1	1	1
Use Default 82	1	1	1	1	1
Use Default 83	1	1	1	1	1
Use Default 84	1	1	1	1	1
Use Default 85	1	1	1	1	1
Use Default 86	1	1	1	1	1
Use Default 87	1	1	1	1	1
Use Default 88	1	1	1	1	1
Use Default 89	1	1	1	1	1
Use Default 90	1	1	1	1	1
Use Default 91	1	1	1	1	1
Use Default 92	1	1	1	1	1
Use Default 93	1	1	1	1	1
Use Default 94	1	1	1	1	1
Use Default 95	1	1	1	1	1
Use Default 96	1	1	1	1	1
Use Default 97	1	1	1	1	1
Use Default 98	1	1	1	1	1
Use Default 99	1	1	1	1	1
Use Default 100	1	1	1	1	1

Station	Number of Active MFDs	Number of Active Windows	Number of Active Terminals	Number of Active Terminals (per shift)	Number of Active Terminals (per day)
Mobile Training Room (at station)	1	1	1	1	1
Use Default 1	1	1	1	1	1
Use Default 2	1	1	1	1	1
Use Default 3	1	1	1	1	1
Use Default 4	1	1	1	1	1
Use Default 5	1	1	1	1	1
Use Default 6	1	1	1	1	1
Use Default 7	1	1	1	1	1
Use Default 8	1	1	1	1	1
Use Default 9	1	1	1	1	1
Use Default 10	1	1	1	1	1
Use Default 11	1	1	1	1	1
Use Default 12	1	1	1	1	1
Use Default 13	1	1	1	1	1
Use Default 14	1	1	1	1	1
Use Default 15	1	1	1	1	1
Use Default 16	1	1	1	1	1
Use Default 17	1	1	1	1	1
Use Default 18	1	1	1	1	1
Use Default 19	1	1	1	1	1
Use Default 20	1	1	1	1	1
Use Default 21	1	1	1	1	1
Use Default 22	1	1	1	1	1
Use Default 23	1	1	1	1	1
Use Default 24	1	1	1	1	1
Use Default 25	1	1	1	1	1
Use Default 26	1	1	1	1	1
Use Default 27	1	1	1	1	1
Use Default 28	1	1	1	1	1
Use Default 29	1	1	1	1	1
Use Default 30	1	1	1	1	1
Use Default 31	1	1	1	1	1
Use Default 32	1	1	1	1	1
Use Default 33	1	1	1	1	1
Use Default 34	1	1	1	1	1
Use Default 35	1	1	1	1	1
Use Default 36	1	1	1	1	1
Use Default 37	1	1	1	1	1
Use Default 38	1	1	1	1	1
Use Default 39	1	1	1	1	1
Use Default 40	1	1	1	1	1
Use Default 41	1	1	1	1	1
Use Default 42	1	1	1	1	1
Use Default 43	1	1	1	1	1
Use Default 44	1	1	1	1	1
Use Default 45	1	1	1	1	1
Use Default 46	1	1	1	1	1
Use Default 47	1	1	1	1	1
Use Default 48	1	1	1	1	1
Use Default 49	1	1	1	1	1
Use Default 50	1	1	1	1	1
Use Default 51	1	1	1	1	1
Use Default 52	1	1	1	1	1
Use Default 53	1	1	1	1	1
Use Default 54	1	1	1	1	1
Use Default 55	1	1	1	1	1
Use Default 56	1	1	1	1	1
Use Default 57	1	1	1	1	1
Use Default 58	1	1	1	1	1
Use Default 59	1	1	1	1	1
Use Default 60	1	1	1	1	1
Use Default 61	1	1	1	1	1
Use Default 62	1	1	1	1	1
Use Default 63	1	1	1	1	1
Use Default 64	1	1	1	1	1
Use Default 65	1	1	1	1	1
Use Default 66	1	1	1	1	1
Use Default 67	1	1	1	1	1
Use Default 68	1	1	1	1	1
Use Default 69	1	1	1	1	1
Use Default 70	1	1	1	1	1
Use Default 71	1	1	1	1	1
Use Default 72	1	1	1	1	1
Use Default 73	1	1	1	1	1
Use Default 74	1	1	1	1	1
Use Default 75	1	1	1	1	1
Use Default 76	1	1	1	1	1
Use Default 77	1	1	1	1	1
Use Default 78	1	1	1	1	1
Use Default 79	1	1	1	1	1
Use Default 80	1	1	1	1	1
Use Default 81	1	1	1	1	1
Use Default 82	1	1	1	1	1
Use Default 83	1	1	1	1	1
Use Default 84	1	1	1	1	1
Use Default 85	1	1	1	1	1
Use Default 86	1	1	1	1	1
Use Default 87	1	1	1	1	1
Use Default 88	1	1	1	1	1
Use Default 89	1	1	1	1	1
Use Default 90	1	1	1	1	1
Use Default 91	1	1	1	1	1
Use Default 92	1	1	1	1	1
Use Default 93	1	1	1	1	1
Use Default 94	1	1	1	1	1
Use Default 95	1	1	1	1	1
Use Default 96	1	1	1	1	1
Use Default 97	1	1	1	1	1
Use Default 98	1	1	1	1	1
Use Default 99	1	1	1	1	1
Use Default 100	1	1	1	1	1

Proposal Information

Description of Change Proposal	See narrative provided in Rows 4-7 above Bestfit Station Information.	100 Requirement: Includes all change proposal implementation and associated equipment in terms of quality of service and/or performance? See narrative provided in Rows 4-7 above Bestfit Station Information.
Details of How Changes will Be Implemented Post Implementation	See narrative provided in Rows 4-7 above Bestfit Station Information.	100 Requirement: How will members of the public continue to be informed and made aware of the purchase of all products? See narrative provided in Rows 4-7 above Bestfit Station Information.
Station Details	Station Name: WINDYBUSH	100 Requirement: How will the changes help address the following requirements, including ensuring member and customer safety and security, and ensuring that the station meets all applicable regulatory requirements? See narrative provided in Rows 4-7 above Bestfit Station Information.

Station Name	Station Cfg	Station Mfg
WINDYBUSH	WINDYBUSH	WINDYBUSH

Station Name	Station Cfg	Station Mfg
WINDYBUSH	WINDYBUSH	WINDYBUSH

Station	Number of Active MFDs	Number of Active Windows	Number of Active Terminals	Number of Active Terminals (per shift)	Number of Active Terminals (per day)
Mobile Training Room (at station)	1	1	1	1	1
Use Default 1	1	1	1	1	1
Use Default 2	1	1	1	1	1
Use Default 3	1	1	1	1	1
Use Default 4	1	1	1	1	1
Use Default 5	1	1	1	1	1
Use Default 6	1	1	1	1	1
Use Default 7	1	1	1	1	1
Use Default 8	1	1	1	1	1
Use Default 9	1	1	1	1	1
Use Default 10	1	1	1	1	1
Use Default 11	1	1	1	1	1
Use Default 12	1	1	1	1	1
Use Default 13	1	1	1		

Item	Number of Active VMs	6	6	6
Mobile Working from site (station)	VM - Open from	22:00	22:00	22:00
	VM - Open to	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
User Defined 1	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
User Defined 2	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
Revised Protection	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00

Item	Number of Active VMs	6	6	6
Mobile Working from site (station)	VM - Open from	22:00	22:00	22:00
	VM - Open to	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
User Defined 1	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
User Defined 2	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
Revised Protection	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00

Item	Number of Active VMs	6	6	6
Mobile Working from site (station)	VM - Open from	22:00	22:00	22:00
	VM - Open to	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
User Defined 1	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
User Defined 2	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
Revised Protection	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00

Item	Number of Active VMs	6	6	6
Mobile Working from site (station)	VM - Open from	22:00	22:00	22:00
	VM - Open to	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
User Defined 1	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
User Defined 2	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
Revised Protection	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00

Additional Station Based Proposal Information

<p>Description of Change Proposal</p> <p>See corrective provided in Rows 6-7 above Station Information.</p>	<p>The Proposal includes the proposed development plan and any associated risks of quality of service and other information.</p> <p>See corrective provided in Rows 6-7 above Station Information.</p>
<p>Details of Other Changes will be Introduced Post Implementation</p> <p>See corrective provided in Rows 6-7 above Station Information.</p>	<p>The other changes help define the Station Design plan, including proposed other changes to be introduced post implementation that will be added additional support at Station. See above which are not within the scope of this proposal.</p> <p>See corrective provided in Rows 6-7 above Station Information.</p>

Station Name	Station Code	Station ID
Station Name	Station Code	Station ID
Station Name	Station Code	Station ID
Station Name	Station Code	Station ID

Item	Number of Active VMs	6	6	6
Mobile Working from site (station)	VM - Open from	22:00	22:00	22:00
	VM - Open to	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
User Defined 1	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
Revised Protection	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00

Item	Number of Active VMs	6	6	6
Mobile Working from site (station)	VM - Open from	22:00	22:00	22:00
	VM - Open to	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
User Defined 1	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
Revised Protection	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00

Item	Number of Active VMs	6	6	6
Mobile Working from site (station)	VM - Open from	22:00	22:00	22:00
	VM - Open to	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
User Defined 1	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
Revised Protection	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00

Item	Number of Active VMs	6	6	6
Mobile Working from site (station)	VM - Open from	22:00	22:00	22:00
	VM - Open to	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
User Defined 1	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00
Revised Protection	VM - Open from	07:00	07:00	07:00
	VM - Open to	19:00	19:00	19:00
	VM - Open to	22:00	22:00	22:00
	VM - Open to	22:00	22:00	22:00